

IVB 9 series


Better solutions

- for bigger cleaning jobs





For fast pick-up of either liquid or powder spills, or for specific applications such as metal chip removal, the Nilfisk IVB range of industrial vacuums is the smart choice.



The optional forklift device helps you to empty the container and saves back strain




With Push&Clean, all you have to do to clean the filter, is to cover the fitting or the hose and press the button. Powerful air pulses will clean the filter gently, and you are back to work in no time.

Tough cleaning demands a better machine

Effective vacuuming of heavily soiled areas, and the fast pick-up of liquid or powder spills call for an industrial class vacuum cleaner that is designed to handle these kinds of applications. The Nilfisk IVB series includes three platforms, all designed for specific purposes and all capable of handling the tough cleaning jobs that lesser vacuums can't cope with.

The secret lies in Nilfisk's whole approach to designing application-based equipment. It starts by talking to customers, by learning and by listening. We then incorporate design features based on meeting these specific needs, whether it's better filtration, more power, more flexibility, easier emptying - whatever gets the job done in the fastest, most productive way. That's why this range of Nilfisk wet/dry pick-up industrial vacuums is the right choice for serious cleaning applications.

- Unique 'Push & Clean' filter cleaning system maintains airflow without downtime
- Two-motor industrial performance for effective results
- Stainless steel container & industrial-class construction for extended working life
- Washable large-surface PET Fleece filter for high efficiency & low maintenance
- Large 70 litre capacity container, reduces emptying to a minimum
- The container is tilt-able and removable for easy emptying
- Super-strong fleece filter supplied as standard
- Available in L, M and H-Classes and ATEX type 22 for use in hazardous or explosive environments
- Stainless steel tank is corrosion proof and easy to clean
- Big surface PET Filter cartridge is washable and durable. Has a 10 times longer lifetime than conventional paper filters
- Low amperage Soft-Start means that the machine can be plugged in anywhere without risk of blowing fuses
- Anti-static protection guards against risk of static build-up
- XtremeClean automatic filter cleaning ensures consistent operation without loss of airflow



All you have to do is start the vacuum. The filter is immediately cleaned automatically, and every 30 seconds while you work. So there is no need to interrupt your work to clean your filter. You concentrate on your task, and XtremeClean will take care of the filter. This saves you time and money. The best filter cleaning system that the market has ever seen.



With special features such as the 'Sit-Down' container removal system, and the XtremeClean automatic filter cleaning, it is no wonder that Nilfisk machines are renowned for their technical superiority. Attention to detail is the key in making even the heaviest cleaning jobs easy

Reliability is also our mantra when it comes to service

A Nilfisk machine functions optimally when cared for by regular service and maintenance visits. Therefore we have created the optimal service solution: Three levels of service reflecting different requirements and an optional supply of a substitute machine in critical situations.

Service Solutions Standard – Professional maintenance

Your contract encompasses two yearly maintenance visits and 48 hours response time. Breakdown visits and spare parts are billed separately.

Service Solutions Plus – Optimised performance

With the Plus solution you have a firm grip on your maintenance and repair costs while knowing that your performance is never compromised, only optimised.

Service Solutions Premium – Maximised uptime

If uptime is your absolute top priority and key concern, Service Solutions Premium is the best choice. A quarterly maintenance visit is included, and there are no sudden financial surprises.



The series covers an extremely wide range of industrial cleaning applications.

The standard models and recommended accessory kits detailed can be broadened to accommodate an even greater variety of applications and specialist tasks with Nilfisk-Advance's extensive range of optional extras.

For the complete range of accessories, see our hose and nozzle program.

Technical specifications

Description	Unit	IVB 961-0L	IVB 965-0L	IVB 965-2H/M
Reference number		302002914	302002916	302002917
IP protection class		IPX4	IPX4	IPX4
Dust class		L	L	H/M
Rated power	W	2x1200	2x1200	2x1200
Suction power end of tube	W	270	270	270
Airflow without hose	l/sec	120	120	120
Container capacity	litre	70	50	50
Main filter area	cm ²	7800	7800	7800
Vacuum max	kPa	23	23	23
Inlet	mm	50 multifit	50 multifit	50 multifit
Main filter type		PET	PET Nano	Paper/Glass fibre
Length x width x height	mm	580x600x970	615x690x990	615x690x990
Weight	kg	30	45	45
FEATURES:				
Anti-static system		•	•	•
Tilting container		•	•	•
Washable PET fleece filter		•	•	
Automatic On/Off-elec. tools				•
H-class hazardous dust approval				•
XtremeClean filter cleaning				•

Nilfisk A/S

Kornmarksvej 1 · DK-2605 Brøndby · Denmark
 Tel.: +45 43 23 81 00 · Fax: +45 43 43 77 00
 mail.com@nilfisk.com
 www.nilfisk.com

